EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp | |
|----------|-------|--|--------------------|---------------------|---------|------------------|--|
| L1 | 20 | (edg\$4 near10 slop\$4)same(extract\$6 or cut\$4 or divid\$4 or portion\$3 or partial\$3 or partition\$3 or region\$3)same(filter\$3 near10 digit\$6) | US-PGPUB; USPAT | OR | ON | 2006/03/14 16:33 | |
| L2 | 2824 | (edg\$4 near10 imag\$3)same(extract\$6 or cut\$4 or divid\$4 or portion\$3 or partial\$3 or partition\$3 or region\$3)same(filter\$3) | US-PGPUB; USPAT | OR | ON | 2006/03/14 15:22 | |
| L3 | 3501 | ((edg\$4 or boundary\$3 or contour\$3)near10 imag\$3)same(extract\$6 or cut\$4 or divid\$4 or portion\$3 or partial\$3 or partition\$3 or region\$3)same(filter\$3) | US-PGPUB; USPAT | OR | ON | 2006/03/14 15:28 | |
| L4 | 16 | 3 same(edg\$4 or boundary\$3 or contour\$3)near10 (slop\$4) | US-PGPUB; USPAT | OR | ON | 2006/03/14 15:41 | |
| L5 | 365 | 3 same(edg\$4 or boundary\$3 or contour\$3)near10 (direct\$6) | US-PGPUB; USPAT | OR | ON | 2006/03/14 15:26 | |
| L6 | 1010 | 3 same(nois\$6 or distort\$4 or artifact\$3 or error\$2) | US-PGPUB; USPAT | OR | ON | 2006/03/14 15:28 | |
| L7 | 10125 | ((edg\$4 or boundary\$3 or contour\$3)near10 imag\$3)same(extract\$6 or cut\$4 or divid\$4 or portion\$3 or partial\$3 or partition\$3 or region\$3)same(filter\$3 or smooth\$3 or adjust\$6 or correct\$4 or enhanc\$6) | US-PGPUB; USPAT | OR | ON | 2006/03/14 16:34 | |
| L8 | 2488 | 7 same(nois\$6 or distort\$4 or artifact\$3 or error\$2) | US-PGPUB; USPAT | OR | ON | 2006/03/14 15:30 | |
| L9 | 433 | 8 same(claculat\$3 or comput\$6 or measur\$4) | US-PGPUB; USPAT | OR | ON | 2006/03/14 16:36 | |
| L10 | 12 | 9 same(slop\$4) | US-PGPUB; USPAT | OR | ON | 2006/03/14 15:39 | |
| L11 | 114 | 9 same(direct\$6) | US-PGPUB; USPAT | OR | ON | 2006/03/14 16:37 | |
| L12 | 9 | 10 and 11 | US-PGPUB; USPAT | OR | ON | 2006/03/14 15:34 | |
| L13 | 1 | "6266306".PN. | USPAT; USOCR | OR | ON | 2006/03/14 15:38 | |
| L14 | 1 | "5898656".PN. | USPAT; USOCR | OR | ON | 2006/03/14 15:38 | |

EAST Search History

| L15 | 1 | "5831951".PN. | USPAT; USOCR | OR | ON | 2006/03/14 15:38 |
|-----|------|--|--------------------|------|----|------------------|
| L16 | 1 | "4979162".PN. | USPAT; USOCR | OR | ON | 2006/03/14 15:38 |
| L17 | 1 | "6215841".PN. | USPAT; USOCR | OR | ON | 2006/03/14 15:40 |
| L18 | 1 | "5839440".PN. | USPAT; USOCR | OR | ON | 2006/03/14 15:41 |
| L19 | 1 | "5940136".PN. | USPAT; USOCR | OR | ON | 2006/03/14 15:43 |
| L20 | 1 | "5719967".PN. | USPAT; USOCR | OR | ON | 2006/03/14 15:43 |
| L21 | 1 | "5003615".PN. | USPAT; USOCR | OR | ON | 2006/03/14 15:44 |
| L22 | 1 | "6304621".PN. | USPAT; USOCR | OR | ON | 2006/03/14 16:33 |
| L23 | 1 | "6184921".PN. | USPAT; USOCR | OR | ON | 2006/03/14 16:33 |
| L24 | 1 | "6067329".PN. | USPAT; USOCR | OR | ON | 2006/03/14 16:33 |
| L25 | 2019 | ((edg\$4 or boundary\$3 or contour\$3)near10 imag\$3)same(extract\$6 or cut\$4 or divid\$4 or portion\$3 or partial\$3 or partition\$3 or region\$3)same(filter\$3 or smooth\$3 or adjust\$6 or correct\$4 or enhanc\$6)same(nois\$6 or distort\$6 or artifact\$6) | US-PGPUB; USPAT | OR | ON | 2006/03/14 16:35 |
| L26 | 341 | 25 same(claculat\$3 or comput\$6 or measur\$4) | US-PGPUB; USPAT | OR | ON | 2006/03/14 16:36 |
| L27 | 83 | 26 same(direct\$6) | US-PGPUB; USPAT | OR | ON | 2006/03/14 16:38 |
| L28 | 8 | 26 same(slop\$4) | US-PGPUB; USPAT | OR | ON | 2006/03/14 16:38 |
| L29 | 1 | "6215841".PN. | USPAT; USOCR | OR . | ON | 2006/03/14 16:38 |
| L30 | 1 | "5839440".PN. | USPAT; USOCR | OR | ON | 2006/03/14 16:38 |
| L31 | . 1 | "5602891".PN. | USPAT; USOCR | OR | ON | 2006/03/14 16:39 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|--|----------|---------------------|---------|------------------|
| | | (extract\$4 and edg\$4 and calculat\$4 and grad\$4 and direct\$6 and slop\$4 and filter\$4). | US-PGPUB | OR | | 2006/03/14 16:42 |
| | | CLM. | | | | |

3/14/06 4:43:07 PM Page 1



Search Result - Print Format

< Back t

Key: IEEE JOURNAL = IEEE Journal or Magazine, IEE JNL = IEE Journal or Magazine, IEEE CNF = IEEE Conference, IEEE STD = IEEE Standard

1. Reduction of noise-induced streak artifacts in X-ray computed tomography through spline-based penalized likelihood sinogram smoothing

La Riviere, P.J.; Billmire, D.M.; Medical Imaging, IEEE Transactions on Volume 24, Issue 1, Jan. 2005 Page(s):105 - 111 IEEE JNL

2. Reduction of noise-induced streak artifacts in X-ray computed tomography through penalized-likelihood sinogram smoothing

La Riviere, P.J.;
Nuclear Science Symposium Conference Record, 2003 IEEE
Volume 5, 19-25 Oct. 2003 Page(s):3239 - 3243 Vol.5
IEEE CNF

3. Correction method for a single chip power meter

Nagura, H.; Fujino, K.; Instrumentation and Measurement Technology Conference, 1994. IMTC/94. Conference Proceedings. 10th Anniversary. Advanced Technologies in I & M., 1994 IEEE 10-12 May 1994 Page(s):1313 - 1316 vol.3

4. Dual-channel iterative speech enhancement with constraints on an auditory-based spectrum

Nandkumar, S.; Hansen, J.H.L.; Speech and Audio Processing, IEEE Transactions on Volume 3, Issue 1, Jan. 1995 Page(s):22 - 34 IEEE JNL

5. Digital tracking filters with high order correlated measurement noise

Gazit, R.;
Aerospace and Electronic Systems, IEEE Transactions on Volume 33, Issue 1, Jan. 1997 Page(s):171 - 177
IEEE JNL

6. Error estimation and correction of DFT in synchronized phasor measurement

Funaki, T.; Tanaka, S.;
Transmission and Distribution Conference and Exhibition 2002: Asia Pacific. IEEE/PES
Volume 1, 6-10 Oct. 2002 Page(s):448 - 453 vol.1
IEEE CNF

7. A fault tolerant system configuration based on error correcting codes

Hirasawa, S.; Kohnosu, T.; Nishijima, T.; Systems, Man, and Cybernetics, 1994. 'Humans, Information and Technology'., 1994 IEEE International Conference on Volume 3, 2-5 Oct. 1994 Page(s):2470 - 2475 vol.3

o. Adaptive lattice bilinear filters

Baik, H.K.; Mathews, V.J.;

Signal Processing, IEEE Transactions on [see also Acoustics, Speech, and Signal Processing, IEEE Transactions of Volume 41, Issue 6, June 1993 Page(s):2033 - 2046
IEEE JNL

9. Underwater target tracking via the IRWLS filtering approach

El-Hawary, F.; Mbamalu, G.A.N.; Radar and Signal Processing, IEE Proceedings F Volume 138, Issue 5, Oct. 1991 Page(s):459 - 469 IEE JNL

10. Kalman filtering with partial observation losses

Xiangheng Liu; Goldsmith, A.;
Decision and Control, 2004. CDC. 43rd IEEE Conference on Volume 4, 14-17 Dec. 2004 Page(s):4180 - 4186 Vol.4
IEEE CNF

11. An uncertainty analysis of the spectral correction factor

Field, H.; Emery, K.;
Photovoltaic Specialists Conference, 1993., Conference Record of the Twenty Third IEEE 10-14 May 1993 Page(s):1180 - 1187
IEEE CNF

12. Recursive filtering approach to MS locating using quantized to a measurements

Enescu, V.; Sahli, H.;
3G Mobile Communication Technologies, 2001. Second International Conference on (Conf. Publ. No. 477)
26-28 March 2001 Page(s):206 - 210

IEE CNF

13. Repetitive learning control for the correction of wound-type potential transformer measurement errors: sensitivity analysis

Hamrita, T.K.;
Power Delivery, IEEE Transactions on
Volume 15, Issue 2, April 2000 Page(s):461 - 466
IEEE JNL

14. Multidimensional maximum-likelihood processing of a large aperture seismic array

Capon, J.; Greenfield, R.J.; Kolker, R.J.; Proceedings of the IEEE Volume 55, Issue 2, Feb. 1967 Page(s):192 - 211 IEEE JNL

15. Picture Quality Prediction Based on a Visual Model

Lukas, F.; Budrikis, Z.; Communications, IEEE Transactions on [legacy, pre - 1988] Volume 30, Issue 7, Jul 1982 Page(s):1679 - 1692 IEEE JNL

16. Correction of distortion in endoscope images

Smith, W.E.; Vakil, N.; Maislin, S.A.; Medical Imaging, IEEE Transactions on Volume 11, Issue 1, March 1992 Page(s):117 - 122 IEEE JNL

17. An automatic light spectrum compensation method for CCD white balance measurement

Dahong Qian; Toker, J.; Bencuya, S.; Consumer Electronics, IEEE Transactions on Volume 43, Issue 2, May 1997 Page(s):216 - 220 IEEE JNL

18. Neural filtering of colored noise based on Kalman filter structure

Shen-Shu Xiong; Zhao-Ying Zhou; Instrumentation and Measurement, IEEE Transactions on Volume 52, Issue 3, June 2003 Page(s):742 - 747 IEEE JNI.

19. Sampling averaging for inverter control

Masoud, K.; Ledwich, G.;
Power Electronics Specialists Conference, 2002. pesc 02. 2002 IEEE 33rd Annual Volume 4, 23-27 June 2002 Page(s):1699 - 1704
IEEE CNF

20. Robustness against noise: The role of timing-synchrony measurement

Ghitza, O.;
Acoustics, Speech, and Signal Processing, IEEE International Conference on ICASSP '87.
Volume 12, Apr 1987 Page(s):2372 - 2375
IEEE CNF

21. Adaptive filter for a miniature MEMS based attitude and heading reference system

Mei Wang; Yunchun Yang; Hatch, R.R.; Yanhua Zhang; Position Location and Navigation Symposium, 2004. PLANS 2004 26-29 April 2004 Page(s):193 - 200

22. Adaptive filtering of color noise using the Kalman filter algorithm

Xiong Shenshu; Zhou Zhaoying; Zhong Limin; Xu Changsheng; Zhang Wendong; Instrumentation and Measurement Technology Conference, 2000. IMTC 2000. Proceedings of the 17th IEEE Volume 2, 1-4 May 2000 Page(s):1009 - 1012 vol.2

23. Aeolotropic filter design and measurement gating for remote tracking with gridlock error

Chen, R.C.; Blair, W.D.;
System Theory, 1997., Proceedings of the Twenty-Ninth Southeastern Symposium on 9-11 March 1997 Page(s):75 - 80
IEEE CNF

24. The systematic error correction in measurement transduction of the physical quantities X, X² and X³ Kondratov, V.T.;

Instrumentation and Measurement Technology Conference, 1996. IMTC-96. Conference Proceedings. 'Quality Measurements: The Indispensable Bridge between Theory and Reality'., IEEE Volume 1, 1996 Page(s):703 - 709 vol.1

IEEE CNF

25. Adaptive trimmed mean filters for image restoration

Restrepo, A.; Bovik, A.C.;

Acoustics, Speech, and Signal Processing [see also IEEE Transactions on Signal Processing], IEEE Transactions of Volume 36, Issue 8, Aug. 1988 Page(s):1326 - 1337
IEEE JNL



@ Copyright 2008 IEEE -